

# B & R PRODUCTS (PTY) LTD

*Supreme Paint Suppliers (Pty) Ltd*

Reg. No. 80/09849/07

**Manufacturers and Distributors of Top Quality Paints and Solvents**

P.O. BOX 1633  
RANDBURG  
2125  
SOUTH AFRICA

PHONE: 027 11 864-1301/1302  
027 11 864-1036/1393  
FAX: 027 11 864-1390  
WEB SITE: [www.bandr.co.za](http://www.bandr.co.za)  
E-MAIL : [bandr@icon.co.za](mailto:bandr@icon.co.za)

Director: B. J. Rodd

## PRODUCT DATA SHEET WATER-BASED PRIMER

<b><u>PRODUCT NAME:</u></b>	WATER-BASED ANTI-CORROSIVE PRIMER
<b><u>PRODUCT BRAND:</u></b>	SUPREME
<b><u>FINISH:</u></b>	MATT
<b><u>COLOURS:</u></b>	BLACK AND RED OXIDE
<b><u>VEHICLE TYPE:</u></b>	ACRYLIC EMULSION
<b><u>PIGMENT TYPE:</u></b>	INORGANIC OXIDES
<b><u>SOLVENT TYPE:</u></b>	WATER
<b><u>SPECIFIC GRAVITY:</u></b>	1.100 AT 25°C
<b><u>SOLIDS CONTENT:</u></b>	40 – 45% BY WEIGHT
<b><u>VISCOSITY AT 25°C:</u></b>	25 – 28" FORD CUP 4
<b><u>DRYING TIME:</u></b>	<b><u>SURFACE:</u></b> 60 MINUTES
	<b><u>HARD:</u></b> 24 HOURS
<b><u>APPLICATION METHOD:</u></b>	SPRAY OR DIP
<b><u>COVERAGE AT DFT 35 MICRONS:</u></b>	5 SQUARE METRES PER LITRE PER COAT
<b><u>RECOMMENDED DRY FILM THICKNESS:</u></b>	35 MICRONS

### **DESCRIPTION & GENERAL USE:**

A high quality self-etching anti-corrosive water-based primer for use on bare metal that has been cleaned of dust and grease and/or sandblasted.

The primer may be over-coated after a minimum drying time of 24 hours with any conventional industrial or decorative coating.

All equipment must be cleaned immediately after use with water.